LOADING INSTRUCTIONS FOR PC USERS

PHOTOSHOP ACTIONS

- Put your .atn file here:

C:/Program Files\Adobe\Adobe Photoshop (CS2)\Presets\Photoshop Actions

Your .atn file is a set of five color actions. After your .atn file is copied to your photoshop action's folder, load the action set in photoshop. In your action's menu, use the small arrow at the top right side of the palette. Using the pull down menu—select "load actions". Select your .atn file, then click "load". Your action set is now loaded.

PRESETS

- Place your .xmp (adobe camera raw) files here:

C:/Documents and Settings\Compac Administrator\Application Data\Adobe\Camera Raw\Settings

After your .atn file is copied to the camera raw setting's folder, load the presets in camera raw. At the top right side of your camera raw window, under the histogram, you will see a "settings" pull down menu. Using the small arrow to the left, then select "load settings". Select each .xmp file individually and click "load". You must repeat this step for each preset. Your ACR presets are now loaded. To select the preset during workflow, use the setting's pull-down menu to select which preset you would like to view. Then use your mouse to scroll thru each setting as you decide which setting works best for your photograph.

- Place your .lrtemplate (lightroom) files here:

C:\Documents and Settings\Compaq_Administrator\Application Data\Adobe\Lightroom\develop settings

After your .lrtemplates are placed in the correct folder, you should see them in lightroom under the presets palate.